

LOFTNESS
US ATTACHMENTS

Tree Shredders

Timber
AX
Extreme

LOFTNESS
US ATTACHMENTS

loftness.com - 800-828-7624 - 320-848-6266

120 DEGREE RANGE OF MOTION




**Special Models for the
New Holland TV 140 & TV 145
Bi-directional Tractors**

Features

- * Tractor-mounted, 1000 RPM PTO-driven
- * Category II or III Three-point Hitch
- * 120 Degree Range of Motion
- * Adjustable Tree-pusher Bar
- * 260 HP Gearbox
- * Slip-clutch Protected 1000 RPM PTO Shaft
- * 1300 RPM - 21 inch Diameter Rotor
- * 1 inch Thick, Heat-treated, Sharpened Blades
- * Rigid, Pocket-style Knife Mounts
- * Adjustable Shear Bar
- * "Hardox" Swedish Steel Body & Rotor
- * 3 inch Piloted Rotor Bearings
- * Bearing Anti-wrap Protection
- * Heavy-duty, Double-tapered, Roller Bearings
- * Steel Deflector Chains
- * 4-Groove Banded Belts
- * Dual Belt Drive
- * Spring-loaded Belt Tightener
- * Skid Shoes - Adjustable 1-1/2 to 3 inches

Knives

Sharpened Knives & Shear Bar



THE COMMON AXIS PIVOT SYSTEM

Patent Pending

The Common Axis Pivot System provides a 120 degree range of motion, allowing an unparalleled cutting height from 18 inches below to 60 inches above grade.


The main hitch frame, gearbox and PTO drive shaft remain properly aligned with the tractor at all times.

The cutter head rotates on open pivot bearings that allow the side drive shafts to pass through on the same axis.


Drive belt tension remains constant throughout the range of movement, delivering uninterrupted power to the rotor.

No other PTO driven shredder offers this kind of flexibility to handle irregularly shaped trees and rough terrain without PTO damage.

ROLLED BACK to expose knives for cutting down large trees or to follow the ground contour on uphill slopes-



ROLLED FORWARD to utilize the push bar for felling large trees or to follow the ground contour on downhill slopes-



Cut and Mulch Trees In One Pass!

Cuts Grass, Weeds, Light Brush and up to 10 inch Trees - All with the Same Knives



Specifications

Model	73XG120	83XG120	93XG120
Width of Cut in inches	73	83	93
Overall Width in inches	97	107	117
Number of Knives	16	18	20
Weight (lbs.)	4480	4730	4980

Also Available

Hydraulic-driven "Extreme" cutters for a variety of prime movers and excavators up to 300 horsepower.

All available with either the patented "Timber Ax" sharpened blades or replaceable carbide cutters.

Warning:

Due to the possible danger of flying debris, impact-resistant shielding MUST be provided for the operator. The owner is responsible for providing operator-protection devices on the power unit.

LOFTNESS
US ATTACHMENTS



loftness.com

650 South Main Street
Hector, MN 55342 USA
320-848-6266 or **800-828-7624**
web address: www.loftness.com
e-mail: info@loftness.com